

1ST JULY
2022



PRICE LIST

The comfort of
**ELECTRICAL
& BATTERY
MOTORISED**
curtains



DOMOTICS
READY



APP
CONTROL



WIRELESS
REMOTE




TOUCH
CONTROL

FOREST
DRAPERY HARDWARE

CROWN CURTAIN TRACKS LTD DISTRIBUTORS FOR
FOREST GROUP (NEDERLAND) B.V. IN IRELAND

FOREST DRAPERY HARDWARE – CONTENTS



CRS 28mm Uncorded Track 3



CRS 28mm Corded Track 4



MRS Motorised Rail System Track 5



Forest Design series 6



Forest DS 7



Forest DS-XL® 8



DS-XL Uncorded LED 9



DS-XL Motorised 10




DS-XL Motorised LED 11



Shuttle Track 40kg 12



Shuttle Track 70kg 13



Shuttle iON battery 14




FMS PLUS 15



CKS Corded Track 16



KS Uncorded Track 17




CCS Corded Contract System 18



CCS Corded Contract System 19



MTS Medical Track System 20



Forest bending guide 21



Roman Blind Track - BS 22



Roman Blind Track - BCS Max 23



MCS - Multi Channel System 24



F120/F400 25



Forest App 26-27



Hotel Tracks & Easyfold Systems 28

CRS 28MM UNCORDERD CHANNEL ROD SYSTEM

INOX-PC, ENDCAP FINIAL ONLY



ANTHRACITE-PC, ENDCAP AND BALL FINIAL



ANTIQUE BRONZE, ENDCAP AND BALL FINIAL



WHITE-PC, ENDCAP FINIAL ONLY



BLACK, ENDCAP AND BALL FINIAL



GOLD-PC, ENDCAP AND BALL FINIAL



TAUPE-PC, ENDCAP AND BALL FINIAL



INOX NATURAL DOUBLE TRACK
ENDCAP AND BALL FINIAL



FOREST CRS 28mm UNCORDERD TRACK ASSEMBLED PRICES

FACE FIXING PRICES

PRODUCT CODE	WIDTH, CM	GLIDER INCL.	BRACKET INCL.	CRS 28mm STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FCRS28125	125cm	12	2	218.03	18	258.74
FCRS28150	150cm	16	2	249.37	20	294.61
FCRS28200	200cm	20	2	312.12	26	370.91
FCRS28250	250cm	26	3	373.32	34	450.23
FCRS28300	300cm	30	3	452.49	40	542.94
FCRS28350	350cm	36	3	512.20	48	620.75
FCRS28400	400cm	40	4	573.44	52	691.06
FCRS28450	450cm	46	5	619.06	60	754.78
FCRS28500	500cm	50	5	654.06	64	798.82
FCRS28550	550cm	56	6	748.16	72	910.98
FCRS28580	580cm	58	6	794.05	80	974.99
FMSB	FOREST BENDING CHARGE			97.85	PER BEND	
F4810700016	100M FLEXI WAVE TAPE			4.37	PER METRE	
FCC	FOREST CONTINUOUS CURVE CHARGE			258.72		
CRS28650	SUPPORT BARREL BRACKET Add Extra Bracket for Bay Tracks			43.24	EACH	
CRS28650D20	Double Bracket 20cm			58.96	EACH	


TOP FIXING PRICES

BRACKET INCL.	WIDTH, CM	CRS 28MM STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
2	125cm	131.57	18	174.98
2	150cm	162.92	20	216.70
2	200cm	225.66	26	300.13
3	250cm	243.62	34	324.02
3	300cm	322.79	40	429.32
3	350cm	382.51	48	508.72
4	400cm	400.53	52	532.71
5	450cm	431.99	60	574.54
5	500cm	453.36	64	602.97
6	550cm	488.78	72	650.07
6	580cm	534.67	80	711.09
		97.85	PER BEND	
		4.37	PER METRE	

CRS – 28 MM CORDED CHANNEL ROD SYSTEM


MOUNTING BRACKETS

CRS Ceiling Bracket





CRS Wall Bracket, single

8 cm (3.1"), 12 cm (4.7") and 16 cm (6.3") (Base plate for the 12 cm (4.7") and 16 cm bracket is 6.2 cm (2.4"), similar to the double wall brackets.)



CRS Wall Bracket, double

16 cm (6.3")



INOX NATURAL

Also available to order in



FOREST CRS 28mm CORDED TRACK ASSEMBLED PRICES

FACE FIXING PRICES						
PRODUCT CODE	WIDTH, CM	GLIDER INCL.	BRACKET INCL.	CRS 28MM STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FCRS28125	125cm	12	2	283.44	18	336.36
FCRS28150	150cm	16	2	324.19	20	383.00
FCRS28200	200cm	20	2	405.75	26	482.18
FCRS28250	250cm	26	3	485.31	34	585.28
FCRS28300	300cm	30	3	588.22	40	705.84
FCRS28350	350cm	36	3	665.86	48	806.99
FCRS28400	400cm	40	4	745.49	52	898.37
FCRS28450	450cm	46	5	804.78	60	981.22
FCRS28500	500cm	50	5	850.30	64	1,038.46
FCRS28550	550cm	56	6	972.59	72	1,184.27
FCRS28580	580cm	58	6	1,032.26	80	1,267.49
FMSB	FOREST BENDING CHARGE			97.85	PER BEND	
F4810700016	100M FLEXI WAVE TAPE			4.37	PER METRE	
FCC	FOREST CONTINUOUS CURVE CHARGE			258.72		
CRS28650	SUPPORT BARREL BRACKET Add Extra Bracket for Bay Tracks			43.24	EACH	
CRS28650D20	Double Bracket 20cm			58.96	EACH	


TOP FIXING PRICES				
BRACKET INCL.	WIDTH, CM	CRS 28MM STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
2	125cm	196.97	18	256.06
2	150cm	237.73	20	309.04
2	200cm	319.30	26	415.09
3	250cm	355.62	34	462.30
3	300cm	458.52	40	596.09
3	350cm	536.17	48	697.04
4	400cm	572.58	52	744.34
5	450cm	588.64	60	765.24
5	500cm	634.14	64	824.38
6	550cm	713.22	72	927.19
7	580cm	772.90	80	1,004.75
		97.85	PER BEND	
		4.37	PER METRE	



INOX NATURAL



Also available to order in



CONTROL OPTIONS

Our broad range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains in any position you like. Controlling the motorised rod system by your smartphone or tablet, you can create and schedule customized room scenes that allow your curtains to operate on their own throughout the day.

FOREST WIRELESS CONNECTOR



The Forest Wireless Connector is an easy way to make the motorised rod system 'smart'. This wireless remote solution works in combination with an analogue timer or a smart plug with which services as Apple Home Kit or

Google Assistant become available. It is also easily incorporated into most popular building management systems, including dry contact controls.


FOREST DIAMOND SENSE REMOTE



15 Channel Remote control, possibility to control up to 15 systems individually and in group by integrated timer function or manual. Auto-On mode, when holding hand above it, the integrated LED light will

automatically come on. Radio control, range up to 30 METRES. Including magnetic wall support.

BUILDING AUTOMATION



The MRS® system can be connected to any Building Automation system, by relay control.

MRS MOTORISED 40KG ELECTRIC TRACK ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	GLIDER INCLUDED	WALL BRKT INCLUDED	40KG MAX WEIGHT	MRS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	6cm WAVE EFFECT GLIDER & HOOK	6cm WAVE GLIDER & HOOK RRP INCL. VAT
FMRS100	1-100	10	2	TOP or FACE FIX	2,100.87	16	2,151.52	24	2,176.88
FMRS101	101- 200	20	2	TOP or FACE FIX	2,222.64	28	2,311.29	36	2,336.62
FMRS201	201-300	30	3	TOP or FACE FIX	2,334.30	40	2,460.91	52	2,498.92
FMRS301	301-400	40	5	TOP or FACE FIX	2,456.04	52	2,620.69	68	2,671.38
FMRS401	401-500	50	6	TOP or FACE FIX	2,567.68	64	2,770.37	84	2,833.69
FMRS501	501-600	60	6	TOP or FACE FIX	2,689.46	80	2,942.80	104	3,018.82
FMRSB	BENDING CHARGE FOR FOREST MRS BENDING CHARGE TRACK			PER BEND	107.60	COMPLETE WITH REMOTE CONTROL			
	MRS BENDING CONTINUOUS CURVE			PER TRACK	258.72				
CRS28650	SUPPORT BARREL BRACKET Add Extra Bracket for Bay Tracks				43.24				
F4810700016	100M FLEXI WAVE TAPE			PER METRE	4.37	& WIRELESS WALL SWITCH			



Hey Google

Hey Siri

Hey Alexa



DOMOTICA
READY



APP
CONTROL



WIRELESS
REMOTE



MANUAL
CONTROL

FOREST DESIGN Series

The DS-XL[®] Series is designed to create visual impact and provides superior functionality and ease of use to the end-user. Available as manual, corded or motorised operated curtain track system.

FOREST DS[®]


FOREST DS-XL[®]

FOREST DS-XL[®] Motorised

FOREST DS-XL[®] LED

FOREST DS-XL[®] LED Motorised

THE WORLD
BEHIND
YOUR
CURTAINS



FOREST DESIGN SERIES

FOREST DESIGN Series

The DS® curtain Track system is for fans of a sleek curtain Track. This manually operated curtain Track system fits into any stylish interior with an eye for design.

The DS® system has the same dimensions as the Klick System (KS®). This makes it possible to use all KS® assembly components (except the end caps). The height of the Track is 11 mm and a “belly” has been created at the front so that the brackets can be mounted out of sight. The DS® Track can also be bent, making it extremely suitable for semicircular bay windows.


PRODUCT INFORMATION

- Elegant and aesthetically pleasing hand drawn Track system;
- For all types of medium weight draperies (max curtain weight 8kg per METRE);
- Colours available: white, silver or black with matching assembly components;
- Available lengths in white: 4, 5, 6 and 7 METRE (silver in 4, 5, 6 METRE & black in 5 and 7 METRE);
- Bendable; designer curtain Track can be curved for outside bends only using a 10 cm radius or continuous curved;
- Invisible ceiling brackets to fix Track flush to ceiling available;
- Quick installation with “Smart Klick” brackets for wall and ceiling applications;
- Same brackets as used with Klick System;
- Heavy duty clickable carriers - UV protected - for smooth and easy traversing;
- Especially designed for use in combination with Forest Wave System;
- Track finish: chromated powder coating with a factory applied patented dry lubricant;
- Warranty: 10 years.

FOR USE IN

Residential and/or contract market or at any location where an elegant high quality design curtain Track is required.


- 1 DS Track
- 2 DS Carrier
- 3 DS Stop carrier
- 4 DS Twist end stop
- 5 DS End cap



FOREST DS UNCORDED TRACK SYSTEM ASSEMBLED PRICES


PRODUCT CODE	WIDTH CM	GLIDER INCLUDED	BRACKETS INCLUDED	ALUMINIUM 10cm BRACKET & COVER				
				DS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDER RRP INC VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FDS100	100CM	10	3	77.76	16	116.74	114.33	153.31
FDS150	150CM	16	4	94.93	20	143.65	143.69	192.41
FDS200	200CM	20	4	120.69	26	184.04	169.45	232.80
FDS250	250CM	26	4	146.95	34	229.78	195.70	278.54
FDS300	300CM	30	5	171.74	40	269.21	232.18	330.15
FDS350	350CM	36	5	198.12	48	315.08	257.07	376.03
FDS400	400CM	40	5	222.97	52	349.66	283.91	410.60
FDS450	450CM	46	6	249.22	60	395.42	322.35	468.55
FDS500	500CM	50	6	274.01	64	429.97	347.14	503.10
FDS550	550CM	56	7	300.46	72	475.89	385.79	561.22
FDS600	600CM	60	8	317.21	80	512.16	414.72	609.67

FDSBEND	DS BENDING ONE BEND	PER BEND	58.27	PER BEND
FDSBEND	DS BENDING CONTINUOUS CURVE CHARGE	PER TRACK	258.72	PER TRACK
DS	SMART KLIK ADJUSTABLE BRACKET	7.5-11.5 CM	15.73	EACH
1018201001	DS/KS/CKS/FMS SMART KLIK CEILING BRACKET		4.34	EACH
1010001000	DS/KS/CKS/FMS OFFSET CARRIER/GLIDER		0.63	EACH
F4810700016	100M FLEXI WAVE TAPE	PER METRE	4.37	PER METRE



Aluminium Wall bracket single

A) 10 cm (4") B) 8,8 cm (3,5")




ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH



PROFILE

- Shown actual size 1:1
- Weight: 480 gr/METRE
- Aluminium extrusion
- Size: 60 x 15 mm
- Colours: white, silver, anthracite



Easyflex tape application on DS-XL® track

COLOUR OPTIONS

The DS-XL® is available in three colours: white, silver and anthracite.

FOREST WAVE SYSTEM

Opt for a regular pleated heading or choose for a more atmospheric effect for the Forest Wave System. The FMS® system has been designed for use with the Forest Wave system.

Our wave system is designed so that the curtains maintain their folding effect from the moment they are dressed.

For more information about Forest Wave System and basic components please refer to our Wave Series brochure..

FOREST – DS-XL TOP FIXING TRACK ASSEMBLED PRICES

PRODUCT CODE	WIDTH UP TO	DS-XL WHITE TRACK WITH KLIK TOP FIX BRACKET & KS GLIDER	TOP FIX STD GLIDER RRP INCL. VAT	TOP FIX FIX BRACKET INCLUDED	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FDSXL100	100CM	INCLUDING END CAPS & 10 GLIDERS	56.57	2	16	92.75
FDSXL150	150CM	INCLUDING END CAPS & 16 GLIDERS	79.50	3	20	124.71
FDSXL200	200CM	INCLUDING END CAPS & 20 GLIDERS	102.47	4	26	161.27
FDSXL250	250CM	INCLUDING END CAPS & 26 GLIDERS	125.35	5	34	202.23
FDSXL300	300CM	INCLUDING END CAPS & 30 GLIDERS	148.09	6	40	238.53
FDSXL350	350CM	INCLUDING END CAPS & 36 GLIDERS	171.01	7	48	279.55
FDSXL400	400CM	INCLUDING END CAPS & 40 GLIDERS	193.90	8	52	311.52
FDSXL450	450CM	INCLUDING END CAPS & 46 GLIDERS	217.10	9	60	352.82
FDSXL500	500CM	INCLUDING END CAPS & 50 GLIDERS	243.38	10	64	388.14
FDSXL550	550CM	INCLUDING END CAPS & 56 GLIDERS	262.82	11	72	425.66
FDSXL600	600CM	INCLUDING END CAPS & 60 GLIDERS	285.70	12	80	466.64

CORDED TOP FIX STD GLIDER RRP INCL. VAT	CORDED DS-XL 8 CM WAVE GLIDER & HOOK RRP INCL. VAT
150.19	186.36
169.32	214.55
193.44	252.23
218.61	295.51
242.77	333.24
267.97	376.54
292.11	409.72
317.29	452.99
341.40	486.12
366.65	529.49
390.79	571.73

3918301000	DSXL	KLIK CEILING BRACKET	2.31	EACH
1010001000	KS	OFFSET CARRIER/GLIDER	0.58	EACH
F4810700016	100M	FLEXI WAVE TAPE	4.37	PER METRE
CRS28650		WALL SUPPORT BARREL BRACKET	43.24	EACH

DS-XL LED FES – FOREST EASYFLEX SYSTEM



DS-XL LED WHITE



DS-XL LED ANTHRACITE

This unique drapery system combines a stylish design with a unique way of lighting.

DS XL® LED has been designed in such a way that it can be installed without any visible brackets, installation can be done by click or swivel brackets. Thanks to its clever electronic connection, no electrician is required.

CONTROL OPTIONS

This Track is a flexible, modular system that enables you to connect with a remote or/and building automation systems. With the remote you can control the amount of light and you have the possibility to illuminate the backside and/or the curtain Track itself.

THE DESIGN

The DS XL® LED is an elegant system for all types of medium weight draperies. Available length up to 6 METRE. Opt for a regular pleated heading or choose for a more dramatic effect for our wave system Forest Easyflex®

PRODUCT INFORMATION

- Specially designed for Forest Easyfold application.
- Easy installation, only connectors.
- Ceiling brackets and wall bracket available.
- One led strip or two led strips for extra luminosity.
- Low energy consuming led strip,eco friendly.
- Dimmable led strips.
- Lifespan of 30,000 hours.
- No soldering, clickable components for easy installation without the need for an electrician.
- Power: 15 watt/mtr (4.6 Watt/ft)
- Control by Häfele RF remote, home automation or building management system.

FOR USE IN

Domestic and contract market.

SPECIFICATIONS TRACK

- Weight 580 gr/mtr (6.26 ounce/ft)
- Aluminium extrusion.
- Size 60 x 20 mm (2.4 x 0.8 inch)

FOREST – DS-XL LED TOP FIX MANUAL OPERATION

PRODUCT CODE	LENGTH TRACK (PER METRE)	STANDARD GLIDERS RRP INCL. VAT	8cm WAVE GLIDERS & HOOKS RRP INCL. VAT
FDSXL - LED 00	0,00 - 1,00	578.54	694.26
FDSXL - LED 101	1,01 - 1,50	730.83	877.01
FDSXL - LED 151	1,51 - 2,00	806.93	968.31
FDSXL - LED 201	2,01 - 2,50	955.07	1,146.09
FDSXL - LED 251	2,51 - 3,00	1,035.27	1,242.34
FDSXL - LED 301	3,01 - 3,50	1,180.07	1,416.11
FDSXL - LED 351	3,51 - 4,00	1,520.15	1,824.16
FDSXL - LED 401	4,01 - 4,50	1,660.81	1,992.98
FDSXL - LED 451	4,51 - 5,00	1,748.48	2,098.19
FDSXL - LED 501	5,01 - 5,50	1,885.04	2,262.05
FDSXL - LED 551	5,51 - 6,00	1,973.51	2,368.21

PRODUCT CODE	RRP INCL. VAT
SURCHARGE FOR REMOTE CONTROL OPERATION	
5917532460 4 - Channel RF Receiver	200.22
5917502420 Connection Cable 200cm	19.62
5917532404 4 Channel Remote Control	124.30
BASED ON:	
1) Single LED strip per Track, choose between centre or back placement.	
2) Regular rotating carriers.	

DS-XL MOTORISED



This unique drapery system combines a stylish design with a unique way of lighting. Many designers will work with a lighting plan with three levels: High, especially if the ceiling is vaulted or has been finished with a special material; medium, which includes wall sconces; and low, which means floor lamps and other small lights.

Our DS-XL® LED is the solution for a lighting plan on a higher level, integrating our Track to create an overall glow on the ceiling.

The DS-XL® LED is an elegant system for all types of medium weight draperies. Available length up to 6 METRE in 2 colours: timeless white and in a stylish anthracite finish, making it suitable to fit in every design.

CREATE PRIVACY

It also offers the possibility to illuminate the backside and/or the curtain Track itself enabling a higher level of privacy.

SUSTAINABLE LIGHTING

Traditional ways of lighting are very wasteful. Most of the power is wasted in the form of heat.

This is why there has been a big push to change the environmental impact of lighting. Another benefit of LED lighting is sustainability and eco-friendliness. The system doesn't use toxic chemicals and it can last for years. It has a life span of approximately 30,000 hours.

PRODUCT INFORMATION

- Designer Track for lighting and curtain Track combined;
- Especially designed for Forest Wave application;
- Simple electrical installation by means of clickable connectors;
- Ceiling brackets and wall brackets available;
- One LED strip or two led strips for extra

luminosity;

- LED Colour temperature: warm white 3000;
- Low energy consuming LED strip, eco friendly;
- Dimmable LED strips (120 LED's per METRE);
- LED Lifespan of 30,000 hours;
- No soldering, clickable components for easy installation without the need for an electrician;
- Power: 15 watt/mtr (4.6 Watt/ft);
- Energy label A+;
- Colours available: white and anthracite;
- The DS-XL® LED Motorised system can be integrated into any building automation system;
- The motorised Track system can be installed onto all Forest Shuttle® motors;
- Warranty: 10 years (except LED-lighting)

FOREST – DS-XL MOTORISED TRACK

PRODUCT CODE	LENGTH TRACK (PER METRE)	STANDARD GLIDERS RRP INCL. VAT	8cm WAVE GLIDERS RRP INCL. VAT
FDSXL - MOT 100	1-100cm	1,663.10	1,738.69
FDSXL - MOT 101	101-200cm	1,769.22	1,891.34
FDSXL - MOT 201	201-300cm	1,875.35	2,064.34
FDSXL - MOT 301	301-400cm	1,982.93	2,228.62
FDSXL - MOT 401	401-500cm	2,089.05	2,391.44
FDSXL - MOT 501	501-600cm	2,193.73	2,573.16

PRODUCT CODE	RRP INCL. VAT
SURCHARGE FOR REMOTE CONTROL OPERATION	
5917532460 4 - Channel RF Receiver	200.22
5917502420 Connection Cable 200cm	19.62
5917532404 4 Channel Remote Control	124.30
BASED ON:	
1) Single LED strip per Track, choose between centre or back placement.	
2) Regular rotating carriers.	



DS-XL® LED MOTORISED

The DS-XL® LED Motorised Track system is the latest innovation of the Forest Design Series. This brand new drapery system is designed to create visual impact and provides superior functionality and ease of use to the end user.




Controlling the curtains and integrated LED-lighting by remote control or building automation system guarantees a unique experience of atmosphere and comfort in any room.

FOREST – DS-XL MOTORISED LED TRACK

PRODUCT CODE	LENGTH TRACK (PER METRE)	STANDARD GLIDERS RRP INCL. VAT	8cm WAVE GLIDERS RRP INCL. VAT
FDSXL-LED - MOT 100	1-100cm	1,914.60	2,106.50
FDSXL-LED - MOT 101	101-200cm	2,030.90	2,234.42
FDSXL-LED - MOT 201	201-300cm	2,157.38	2,372.53
FDSXL-LED - MOT 301	301-400cm	2,280.95	2,509.19
FDSXL-LED - MOT 401	401-500cm	2,403.07	2,642.94
FDSXL-LED - MOT 501	501-600cm	2,522.27	2,775.23

SPECIFICATIONS

- Shown actual size 1:1
- Size LED 61 x 20 mm
- Size LED Motorised 66 x 25 mm
- Weight LED 580 gr/METRE. Weight LED Motorised 675 gr/METRE
- Aluminium extrusion
- Colours available: white or anthracite



SHUTTLE L (40KG)

SILENT MOTOR, TOUCH CONTROL ELECTRIC TRACK

Carries
weights
of up to
40 kgs

SHUTTLE PROFILE

- Weight: 303 gr / mtr (3.25 ounce / ft.)
- Size: 20x20mm (0.79 x 0.79 inch)
- Aluminium Extrusion 6063 T5
- Scale 1:1

BENDING/CURVING

Bends with a radius of 20 cm (8").

30cm (1 ft)

Min 55cm


PRODUCT INFORMATION

This brand new curtain motor has an integrated power adaptor and only needs a mains cable;


- The RF multi receiver is now integrated in the motor itself, allowing for an even cleaner look of the system;
- The motor speed can be increased by up to 20%, allowing for speeds of up to 18 cm per second;
- The motor is able to carry curtain weights of up to 40 kg;
- **Market leading 10 year warranty**
- Touch Impulse Technology, gently pulling the curtain to open or close (standard feature);
- Integrated Emergency Control ensures manual operation of the curtain in case

of power failure;

- Modular motor, different modules can be attached for various control options: radio Frequency, Switch, Infrared, Domotics, Building/hotel automation, Serial communication, Z-wave, etc;
- Silent motor, speed: 15 cm/sec;
- Full automatic setting of the limits;
- Programming of intermediate positions possible;
- Touch Impulse sensitivity adjustable in 2 positions;
- Stack-back position programmable to every desired setting;
- Touch Impulse function can be switched on and off;
- 24 Volt DC Power Input, by using the 110- 240 Volt AC adaptor (white) and Bracket;
- Motor pulley connects motor and FMS Track;
- All brackets applicable;
- Upside down inverted motor mounting available;
- Torque: 1.8 Nm;
- Variable velocity with slow start and slow stop;
- Dimensions Motor: 70 x 50 x 280 mm (2.76 x 1.97 x 11 inch)



Aluminium Wall bracket single
A) 10 cm (4") B) 8,8 cm (3,5")



FOREST SHUTTLE L 40 KG ELECTRIC TRACK ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	GLIDER INCL.	WALL BRKT INCL.	40KG MAX WEIGHT	SHUTTLE L STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDER RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FSL - 100	1-100	10	2	TOP or FACE FIX	1,500.61	16	1,536.80	1,524.98	1,561.18
FSL - 101	101- 200	20	4	TOP or FACE FIX	1,587.60	28	1,650.91	1,636.35	1,699.67
FSL - 201	201-300	30	5	TOP or FACE FIX	1,667.35	40	1,757.80	1,728.30	1,818.75
FSL - 301	301-400	40	6	TOP or FACE FIX	1,754.31	52	1,871.92	1,827.44	1,945.05
FSL - 401	401-500	50	8	TOP or FACE FIX	1,834.06	64	1,978.84	1,931.58	2,076.35
FSL - 501	501-600	60	10	TOP or FACE FIX	1,921.04	80	2,102.00	2,042.93	2,223.90
FMSB	FOREST BENDING CHARGE			PER BEND	86.24	PER BEND			
FCC	FOREST CONTINUOUS CURVE CHARGE			PER TRACK	258.72	PER TRACK			
F4810700016	100M FLEXI WAVE TAPE			PER METRE	4.37	PER METRE			

COMPLETE WITH REMOTE CONTROL & WIRELESS WALL SWITCH

ALUMINIUM 10cm
BRACKET & COVER

ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH

SHUTTLE M (70KG)

SILENT MOTOR, TOUCH CONTROL ELECTRIC TRACK

FOREST
DRAPERY HARDWARE


Carries
weights
of up to
70 kgs

PRODUCT INFORMATION

- Touch Impulse Technology, gently pulling the curtain to open or close (standard feature);
- Integrated Emergency Control ensures manual operation of the curtain in case of power failure;
- Modular motor, different modules can be attached for various control options: radio Frequency, Switch, Infrared, Domotics, Building/hotel automation, Serial communication, Z-wave, etc;
- Silent motor, speed: 15 cm/sec;
- The motor is able to carry weights of up to 70 kgs;
- Market leading 10 year warranty
- Full automatic setting of the limits;
- Programming of intermediate positions possible;
- Touch Impulse sensitivity adjustable in 2 positions;
- Stack-back position programmable to every desired setting;
- Touch Impulse function can be switched on and off;
- 24 Volt DC Power Input, by using the 110-240 Volt ac adaptor (white) and Bracket;
- Motor pulley connects motor and FMS Track;
- All brackets applicable;
- Upside down inverted motor mounting available;
- Torque: 1.8 Nm;
- Variable velocity with slow start and slow stop;
- Dimensions Motor: 70 x 50 x 235 mm (2.76 x 1.97 x 9.25 inch)
- Dimensions Adaptor: 50 x 110 x 30 mm (1.97 x 4.33 x 1.18 inch)

SHUTTLE M & L
AVAILABLE WITH
EASYFLEX SYSTEM

Aluminium Wall bracket single
A) 10 cm (4") B) 8,8 cm (3,5")



FOREST SHUTTLE M 70 KG ELECTRIC TRACK

ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	GLIDER INCL.	WALL BRACKET INCL.	70KG MAX WEIGHT	ALUMINIUM 10cm BRACKET & COVER				
					SHUTTLE M STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDER RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FSM - 100	1-100	10	2	TOP or FACE FIX	1,845.74	18	1,900.04	1,870.12	1,924.41
FSM - 101	101- 200	20	4	TOP or FACE FIX	1,952.71	26	2,011.55	2,001.47	2,060.30
FSM - 201	201-300	30	5	TOP or FACE FIX	2,050.83	40	2,141.30	2,111.78	2,202.25
FSM - 301	301-400	40	6	TOP or FACE FIX	2,157.81	52	2,275.39	2,230.94	2,348.53
FSM - 401	401-500	50	8	TOP or FACE FIX	2,255.90	64	2,400.65	2,353.42	2,498.17
FSM - 501	501-600	60	10	TOP or FACE FIX	2,323.59	80	2,543.87	2,469.08	2,642.16
FMSB	FOREST BENDING CHARGE			PER BEND	86.24	PER BEND			
FCC	FOREST CONTINUOUS CURVE CHARGE			PER TRACK	258.72	PER TRACK			
F4810700016	100M FLEXI WAVE TAPE			PER METRE	4.37	PER METRE			

ALUMINIUM 10cm BRACKET & COVER


PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH

FOREST SHUTTLE® Series

The Forest Shuttle® curtain motor and the Forest Motorised curtain track System (FMS®) make an unbeatable combination when it comes to a troublefree operated electric curtains.

FOREST SHUTTLE® S
 FOREST SHUTTLE® M
 FOREST SHUTTLE® L
 FOREST SHUTTLE® AC
 FOREST SHUTTLE® iOn

FOREST FMS®
 FOREST FMS® Plus
 FOREST FMS® Plus Recess



THE WORLD BEHIND YOUR CURTAINS

Our bestselling Forest Shuttle® system is now also available in a wireless, battery powered version. The Shuttle® iOn is perfect for areas without nearby power points.

An extensive period of research, development and endurance testing on countless of Track set-ups has resulted in the Forest Shuttle® iOn. The Shuttle® iOn's motor is fitted with an internal, removable heavy duty battery pack.

Depending on the Track size and curtain weight, the battery only needs to be charged 2 to 3 times per year. You can expect the same unique functionalities as that of the wired Shuttle® L, like Touch Control technology. The motor has an integrated Multi RF receiver, allowing for operation using any Forest remote control option.

Unique in the market The Shuttle® iOn can be used in combination with curved Tracks, which is unique in the



market. It fits all Forest motorised Track systems, like the FMS® system, FMS® Plus recess system, MRS® motorised rod system and also the DS®-XL motorised Track systems.

PRODUCT INFORMATION


- Li-ion rechargeable battery pack;
- Suitable for curtains up to 25 kg and 8 METRE Track length (straight Track);
- Suitable for bended/curved curtain Tracks with up to 2 bends in, for example, bay windows;
- A single full charge will last up to 6 months;
- Available colours: white, black.

FOR USE IN

Hotels, offices, residences, boats and yachts, showrooms or anywhere a wireless motorised Track system is required for curtains and drapes.

Aluminium Wall bracket single

A) 10 cm (4") B) 8,8 cm (3,5")



ION 25KG BATTERY MOTORISED TRACK ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	GLIDER INCL.	WALL BRKT INCL.	25KG MAX WEIGHT	ALUMINIUM 10cm BRACKET & COVER				
					STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDER RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FSi - 100	1-100	10	2	TOP or FACE FIX	1,642.75	16	1,767.77	1,667.13	1,792.15
FSi - 101	101- 200	20	4	TOP or FACE FIX	1,738.69	28	1,898.61	1,787.45	1,947.37
FSi - 201	201-300	30	5	TOP or FACE FIX	1,825.92	40	2,020.73	1,886.87	2,081.67
FSi - 301	301-400	40	6	TOP or FACE FIX	1,921.87	52	2,153.02	1,995.00	2,226.15
FSi - 401	401-500	50	8	TOP or FACE FIX	2,009.09	64	2,275.13	2,106.61	2,372.65
FSi - 501	501-600	60	10	TOP or FACE FIX	2,103.59	80	2,417.61	2,225.48	2,539.50
FMSB	FOREST BENDING CHARGE			PER BEND	86.24	PER BEND			
FCC	FOREST CONTINUOUS CURVE CHARGE			PER TRACK	258.72	PER TRACK			
F4810700016	100M FLEXI WAVE TAPE			PER METRE	4.37	PER METRE			





















COMPLETE WITH REMOTE CONTROL & WIRELESS WALL SWITCH

ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH

FMS PLUS – Shuttle Electric Curtain Track for Recessing into Ceilings

PRODUCT INFORMATION

FMS PLUS TRACK  Aluminium extrusion Available length: 7 m (23") White Black 5/bundle 5131001700 5131006700	FMS PLUS TRANSPORT BELT  Toothed belt to be installed inside FMS Plus Track 100 mtr/roll 5135501000	FMS PLUS RECESS COVEPLATE UPSIDE DOWN  Coverplate for recess; motor pulley White 1/box 5133011004	FMS PLUS / KS TRACK CONNECTORPIN  Stainless steel, 2 x 20 mm For a firm seamless con- nection 50/box 9900000012
FMS PLUS L-PULLEY  To create a double overlapping track system in combination with only one motor. White 1/box 5133011101	FMS PLUS MASTER CARRIER UNDERLAP  Arm is reversible White Black 10/box 5135801000 5135806000	FMS PLUS RECESS PROFILE  Pre-drilled Combine with fixing strip White 7 mtr (23") 5002001701	FMS PLUS RECESS TRACK  Preshaped 90 degrees curve for FMS plus track 1 piece 5131011790
FMS PLUS MOTOR PULLEY  Connects motor with FMS PLUS track White Black 1/box 5133011000 5133016000	FMS PLUS MASTER CARRIER OVERLAP  Arm is reversible White Black 10/box 5135901000 5135906000	FMS PLUS RECESS PROFILE FIXING STRIP  Combine with profile White 6 mtr (20") 5131001600	FMS PLUS RECESS COVERPLATE  Coverplate for recess; motor and return pulley White 1/box 5133011104
FMS PLUS RETURN PULLEY  Reverses the FMS Plus belt in the FMS Plus Track White Black 1/box 5133011100 5133016100	FMS PLUS MASTER CARRIER EASY FLEX L&R  White 10/box 5135901010	FMS PLUS PROFILE WEDGE  To fix the track into the profile 10/box 5131001100	ELECTRIC POWERED BENDER  Available in 230V or 115V, to create continuous curves and arches. Minimum radius 50 cm (20") 1/box 1060500000
FMS PLUS MOTORN PULLEY UPSIDE DOWN  Can be used to place the motor upside down White 1/box 5133011003	ECONOMY CARRIER  Can turn in the track White Black 100/box 2510601000 2510606000	FMS PLUS / MTS TRACK BRIDGE  To join two pieces of track; 6,5 cm White 28 cm White 10/box 4518701000 4518601000	CONTRACT BENDING TOOL  For CS/CCS/FMS/CBS/MTS 1/each 2560000000 CS/CCS/FMS Bending Wheel Excluding strips 1/each 2561000000 FMS Plus Bending set Including strips. 1/each 5131000000


FOREST FMS PLUS 40 KG ELECTRIC TRACK ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	GLIDER INCL.	WALL BRKT INCL.	40KG MAX WEIGHT	FMS PLUS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FSM PLUS - 100	1-100	10	2	TOP or FACE FIX	1,845.77	16	1,890.27
FSM PLUS - 101	101- 200	20	4	TOP or FACE FIX	1,952.75	28	2,030.61
FSM PLUS - 201	201-300	30	5	TOP or FACE FIX	2,050.86	40	2,162.09
FSM PLUS - 301	301-400	40	6	TOP or FACE FIX	2,157.81	52	2,302.46
FSM PLUS - 401	401-500	50	8	TOP or FACE FIX	2,255.88	64	2,433.96
FSM PLUS - 501	501-600	60	10	TOP or FACE FIX	2,362.88	80	2,585.47
BENDING CHARGE FOR FOREST FMS PLUS				PER TRACK	363.44	PER BEND INCLUDING RECESS PRE BENT 90 DEGREE PIECE	
F4810700016	100M FLEXI WAVE TAPE			PER METRE	4.37	PER METRE	

COMPLETE WITH REMOTE CONTROL & WIRELESS WALL SWITCH

CKS – CORDED KCLICK SYSTEM

CKS Corded Klick System available with Easyflex system




FOREST – CKS CORDED TRACK SYSTEM ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	CORD DROP	GLIDER INCLUDED	BRACKETS INCLUDED	ALUMINIUM 10cm BRACKET & COVER				
					CKS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDER RRP INC VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FCKS100	100CM	1.5M	10	3	150.19	16	186.36	186.76	222.93
FCKS150	150CM	1.5M	16	4	169.32	20	214.55	218.08	263.31
FCKS200	200CM	1.5M	20	4	193.44	26	252.23	242.20	300.98
FCKS250	250CM	1.5M	26	4	218.61	34	295.51	267.39	344.27
FCKS300	300CM	1.5M	30	5	242.77	40	333.24	303.72	393.87
FCKS350	350CM	1.5M	36	5	267.97	48	376.54	328.91	437.49
FCKS400	400CM	1.5M	40	5	292.11	52	409.72	353.06	470.67
FCKS450	450CM	1.5M	46	6	317.29	60	452.99	390.41	526.13
FCKS500	500CM	1.5M	50	6	341.40	64	486.12	414.53	559.26
FCKS550	550CM	1.5M	56	7	366.65	72	529.49	451.98	614.82
FCKS600	600CM	1.5M	60	8	390.79	80	571.73	488.31	669.25

FCKSBEND	CKS BENDING ONE BEND	PER BEND	58.27	PER BEND
FCKSCB	CKS CONTINUOUS CURVE CHARGE	PER TRACK	258.72	PER TRACK
1020801115	SMART KCLICK ADJUSTABLE BRACKET	7.5-11.5 CM	14.05	EACH
1018201001	KS/CKS/FMS SMART KCLICK CEILING BRACKET		4.05	EACH
1010001000	KS/CKS/FMS OFFSET CARRIER/GLIDER		0.73	EACH
1018401010	KS/CKS TRACK CONNECTOR		18.30	EACH
F4810700016	100M FLEXI WAVE TAPE	PER METRE	4.37	PER METRE

Aluminium Wall bracket single


A) 10 cm (4") B) 8,8 cm (3,5")



ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH

**KS Klick System
available with
Easyflex system**



PRODUCT



KS RECESS TRACK PRICE ON REQUEST

WHITE

**Also available
to order in**



SILVER



CREAM




BLACK

FOREST KS UNCORDERD TRACK SYSTEM ASSEMBLED PRICES


PRODUCT CODE	WIDTH CM	GLIDER INCLUDED	BRACKETS INCLUDED	ALUMINIUM 10cm BRACKET & COVER						KS RECESS Track	
				KS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK	8cm WAVE GLIDER & HOOK	STD GLIDER RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT	STD GLIDERS RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT	
FKS100	100CM	10	3	72.16	16	108.35	108.73	144.92	72.16	108.35	
FKS150	150CM	16	4	88.11	20	133.34	136.87	182.10	88.11	133.34	
FKS200	200CM	20	4	112.02	26	170.83	160.78	219.57	112.02	170.83	
FKS250	250CM	26	4	136.37	34	213.26	185.13	262.02	136.37	213.26	
FKS300	300CM	30	5	159.41	40	249.85	220.35	310.80	159.41	249.85	
FKS350	350CM	36	5	183.89	48	292.44	244.84	353.62	183.89	292.44	
FKS400	400CM	40	5	206.95	52	324.54	267.90	385.48	206.95	324.54	
FKS450	450CM	46	6	231.30	60	367.00	304.44	440.14	231.30	367.00	
FKS500	500CM	50	6	254.30	64	399.08	327.44	472.20	254.30	399.08	
FKS550	550CM	56	7	278.86	72	441.70	364.18	527.01	278.86	441.70	
FKS600	600CM	60	8	294.40	80	475.36	391.91	572.88	294.40	475.36	

FKSBEND	KS BENDING ONE BEND	58.27	PER BEND
FKSCB	KS BENDING CONTINUOUS CURVE CHARGE	258.72	PER TRACK
1020801115	SMART KLIK A JUSTABLE BRACKET 7.5-11.5 CM	15.73	EACH
1018201001	KS/CKS/FMS SMART KLIK CEILING BRACKET	4.05	EACH
1010001000	KS/CKS/FMS OFFSET CARRIER/GLIDER	0.73	EACH
1018401010	KS/CKS TRACK CONNECTOR	18.30	EACH
F4810700016	100M FLEXI WAVE TAPE	4.37	PER METRE



KS RECESS Track

Aluminium Wall bracket single
A) 10 cm (4") B) 8,8 cm (3,5")



ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH

CCS – CORDED CONTRACT SYSTEM

PROFILE

- Weight: 202 grams per metre;
- Aluminium Extrusion 6063 T5;
- Dimensions: 20mm x 20mm.




PRODUCT INFORMATION

- Highly efficient Corded System for all types of medium weight curtains;
- Quick installation with “Smart Klick” brackets for wall and ceiling applications



Easy installation
klick position tighten



Klickable Carrier


- Bendable; it can be bent and reverse bent using a 10cm radius or continuously curved;
- Heavy duty klickable carriers – UV protected – for smooth and easy traversing. Offset shape for straight hanging pleats;
- Can also be used for Easyflex;
- Maximum fabric weight: 6 kg per metre up to a maximum system weight of 40 kgs;
- Track finish: chromated powder coating with a factory applied patented dry lubricant.

FOR USE IN

- Hotels – offices – residences – boats – homes – planes or anywhere an efficient cord traversing system is required.


BENDING/CURVING

- The Track can be bent and reverse bent using a 10cm radius. Continuous curving can easily be done using the continuous curver. Also the possibility of curving for special windows, such as arches, bows and circles.





MOUNTING BRACKETS

Ceiling Bracket



Adjustable Wall Bracket

Smart klick, adjustable single from 7.5cm (3'') to 11.5cm (4.5'')




Adjustable Wall Bracket


Smart klick, adjustable double from 6.5cm (2.5'') to 10cm (4'') – 15cm (6'') to 19.5 cm (7.5'')





- 1 CCS Track
- 2 CCS/KS Offset Carrier
- 3 CCS Master Carrier Overlap
- 4 CCS Master Carrier Underlap
- 5 CCS Pulley

APPLICATIONS





CCS Corded Klick System available with Easyflex system




FOREST – CCS CORDED TRACK SYSTEM ASSEMBLED PRICES

PRODUCT CODE	WIDTH CM	CORD DROP	GLIDER INCLUDED	BRACKETS INCLUDED	CCS STD GLIDERS RRP INCL. VAT	8cm WAVE EFFECT GLIDER & HOOK RRP INCL. VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT	ALUMINIUM 10cm BRACKET & COVER	
								STD GLIDER RRP INC VAT	8cm WAVE GLIDER & HOOK RRP INCL. VAT
FCCS100	100CM	1.5M	10	3	187.71	16	232.94	224.28	269.51
FCCS150	150CM	1.5M	16	4	211.64	20	268.18	260.40	316.94
FCCS200	200CM	1.5M	20	4	241.78	26	315.31	290.54	364.07
FCCS250	250CM	1.5M	26	4	273.25	34	369.39	322.01	418.14
FCCS300	300CM	1.5M	30	5	303.45	40	416.53	364.40	477.48
FCCS350	350CM	1.5M	36	5	334.95	48	470.69	395.90	531.64
FCCS400	400CM	1.5M	40	5	365.16	52	512.17	426.11	573.11
FCCS450	450CM	1.5M	46	6	396.61	60	566.26	469.73	639.39
FCCS500	500CM	1.5M	50	6	426.76	64	607.69	499.90	680.82
FCCS550	550CM	1.5M	56	7	458.34	72	661.87	543.66	747.20
FCCS600	600CM	1.5M	60	8	488.48	80	714.66	586.00	812.17

FCCSBEND	CCS BENDING ONE BEND	72.84	PER BEND
FCCSCB	CCS CONTINUOUS CURVE CHARGE	258.72	PER TRACK
1020801115	SMART KLIK ADJUSTABLE BRACKET 7.5-11.5 CM	14.05	EACH
1018201001	KS/CCS/FMS SMART KLIK CEILING BRACKET	4.05	EACH
1010001000	KS/CCS/FMS OFFSET CARRIER/GLIDER	0.73	EACH
1018401010	KS/CCS TRACK CONNECTOR	18.30	EACH
F4810700016	100M FLEXI WAVE TAPE	4.37	PER METRE

Aluminium Wall bracket single
A) 10 cm (4") B) 8,8 cm (3,5")



ALUMINIUM 10cm BRACKET & COVER

PRODUCT CODE	DESCRIPTION	RRP INCL. VAT	QUANTITY
10203010100	White Aluminium 10cm Wall Bracket	28.11	EACH
1021301000	White cover for 10cm Wall Bracket	0	EACH
10203030100	Grey Aluminium 10cm Wall Bracket	28.11	EACH
1021303000	Grey Cover for 10cm Wall Bracket	0	EACH
10203060100	Black Aluminium 10cm Wall Bracket	28.11	EACH
1021306000	Black Cover for 10cm Wall Bracket	0	EACH


MTS – MEDI TRACK SYSTEM

PRODUCT INFORMATION

- Elegant and functional Medical Track System
- Simple and quick installation
- Bendable, both with an inside and outside bend with a 20 cm radius
- Dustproof synthetic insert strip available
- Bending Tool which can curve Tracks easily
- Colour: White
- Lengths: 5.80 m (19') and 7 m (23')
- Rail quality: aluminium, chromated, powder coated
- Factory applied patented dry lubricant


PROFILE

- Size width: 19.6 mm (0.8") 28 m
- Size high: 30 mm (1.2")
- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 500 grams per METRE (5.36 ounce per ft.)



BENDING

- The Track can be curved and reversed curved in a 20 cm (8") radius. Continuous curving is also available by special order from factory only.



- ① MTS Track
- ② MTS Wall Bracket
- ③ MTS Carrier with Metal Hook
- ④ MTS Suspension Ceiling Bracket
- ⑤ MTS Track Bridge Long
- ⑥ MTS End-Cap

FOREST – MTS MEDI TRACK SYSTEM PRICES

PRODUCT CODE	WIDTH	DESCRIPTION	RRP INC. VAT	UNIT
4501001580	5.80M	MEDI TRACK SYSTEM WHITE	135.88	5.80M
4510001000	EACH	CS ECONOMY GUIDE WITH HOOK	1.07	EACH
4516001000	EACH	MTS END STOP WITH METAL SCREW	0.84	EACH
4518201500	1.5M	SUSP CEILING HANGER COMPLETE	77.95	EACH
4518601000	EACH	RAIL BRIDGE WHITE LONG 28CM	20.63	EACH
4518701000	EACH	RAIL BRIDGE WHITE SHORT 6.5CM	16.31	EACH
4520001000	EACH	MS WALL BRACKET WHITE	5.99	PER MTR
Quick Guide	5.80M	COMPLETE 5.8M STRAIGHT MEDI TRACK	379.32	COMPLETE
		CUBICLE BEND CHARGE	54.33	PER BEND

This system meets safety requirements in NEN 3134 (Low voltage installations in medical rooms)

Forest TRACK BENDING

Our fully trained Forest Track technicians will bend and shape Tracks to your exact specification, all they need is a template to follow or the accurate measurements from one of the diagrams below.

FOREST TRACK DESIGN MINIMUM RADIUS	MINIMUM RADIUS	REVERSE BEND	POWDER COATED	PATENTED DRY LUBRICANT	COST PER BEND, RRP INCL. VAT
KS KLIK SYSTEM	10 CM	✓	✓	✓	58.27
CKS CORDED KLIK SYSTEM	10 CM	✓	✓	✓	58.27
CS CONTRACT SYSTEM	20 CM	✓	✓	✓	72.84
CCS CONTRACT CORDED SYSTEM	20 CM	✓	✓	✓	72.84
SHUTTLE SILENT TOUCH CONTROL MOTOR	20 CM	✓	✓	✓	80.71
CRS CHANNEL ROD SYSTEM – 28MM	20 CM	✓	✓ All except Chrome	✓ All except Chrome	97.85

L-SHAPE BAY WINDOW



MEASUREMENTS REQUIRED

A - B =
B - C =
A - C =

L-SHAPE BAY WINDOW WITH 1 REVERSE BEND



MEASUREMENTS REQUIRED

A - B =
B - C =
A - C =
B - D =


SQUARE BAY WINDOW WITH RIGHT ANGLE BENDS



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
A - C =
B - D =
A - D =
K - L =


SQUARE BAY WINDOW WITH RIGHT ANGLE BENDS & 2 REVERSE BENDS



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
D - E =
E - F =
B - D =
B - E =
C - E =
K - L =


2 BEND ANGLED BAY WINDOW



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
A - C =
B - D =
A - D =
K - L =


2 BEND ANGLED BAY WINDOW WITH 2 REVERSE BENDS



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
D - E =
E - F =
B - D =
B - E =
C - E =
K - L =


4 BEND BAY WINDOW



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
D - E =
E - F =
A - C =
A - D =
A - E =
B - F =
C - F =
A - F =
D - F =

4 BEND BAY WINDOW WITH 2 REVERSE BENDS



MEASUREMENTS REQUIRED


A - B =
B - C =
C - D =
D - E =
E - F =
F - G =
B - F =
G - H =
B - G =
B - E =
C - G =
D - G =
E - G =
B - D =

Forest TRACK CONTINUOUS CURVING

Our fully trained Forest Track technicians will apply continuous curves to your exact specification, all they need is a template to follow or the accurate measurements from one of the diagrams below.

FOREST TRACK DESIGN	MINIMUM RADIUS	REVERSE BEND	POWDER COATED	PATENTED DRY LUBRICANT	COST PER BEND, CONTINUOUS CURVE RRP INCL. VAT
KS KLIK SYSTEM	50 CM	✓	✓	✓	305.29
CKS CORDED KLIK SYSTEM	50 CM	✓	✓	✓	305.29
CS CONTRACT SYSTEM	50 CM	✓	✓	✓	305.29
CCS CONTRACT CORDED SYSTEM	50 CM	✓	✓	✓	305.29
SHUTTLE SILENT TOUCH CONTROL MOTOR	50 CM	✓	✓	✓	305.29
CRS CHANNEL ROD SYSTEM 28MM	50 CM	✓	✓	✓	305.29


CONTINUOUS CURVE BAY WINDOW



MEASUREMENTS REQUIRED

A - B =
B - C =
C - D =
D - E =
A - F =
F - E =
F - C =
B - F =
D - F =

CONTINUOUS CURVE BAY WINDOW WITH 2 REVERSE BENDS



MEASUREMENTS REQUIRED


A - B =
B - C =
C - D =
D - E =
E - F =
F - G =
B - H =
H - F =
H - D =
H - C =
H - E =

BS – PREMIER ROMAN BLIND SYSTEM

BS PREMIER CARTRIDGE ROMAN BLIND SYSTEMS – MADE TO MEASURE




PATENTED BREAKAWAY CONTROL UNIT



Internal Breakaway Mechanism, 1:4 Control Unit, 7.5kg Lifting Weight Capacity. No Breakaway Devices on the Chain or Drilled Safety Box Needed, Chains can be 60cms from the floor. Patent Approved - exclusive to Crown Curtain Tracks Ltd.

Custom made to order – any size required from 32 up to 585cms

- Upgraded 1.2 Gauge Aluminium. Under correct operating conditions these blinds are guaranteed for 10 years
- Child Safe - Standard 1:4 ratio Control Unit with internal breakaway device. The chain breaks at 6kgs
- Load Weight is a full 7.5kgs, no visible chain breakers or safety boxes are needed
- Chains can be 60cms from the floor
- Fibreglass Rods included
- Counterweight bars included
- Prices are based on standard universal/ceiling brackets
- Roman Blind Tape included



FOREST BS PREMIER ROMAN BLIND SYSTEM – MADE TO MEASURE

Internal Breakaway Chain Wheel – 1:4 Control Unit – Patent Approved. No breakaway devices required on the chain & no chain tensioner required – the chain can be fitted 60cm from the floor. Exclusive to Crown Curtain Tracks Ltd.

PRODUCT CODE	WIDTH CM	CHAIN 1M CHROME	CORD 3.5M DRUMS	BRACKETS FACE FIX	FIBRE GLASS RODS	BOTTOM BAR	RRP INCL. VAT
CPRBS	0 -50CM	1M	2	2	5	1	84.46
CPRBS	75CM	1M	2	2	5	1	96.56
CPRBS	100CM	1M	3	3	5	1	119.75
CPRBS	125CM	1M	4	4	5	1	131.88
CPRBS	150CM	1M	4	4	5	1	155.05
CPRBS	175CM	1M	4	4	5	1	167.17
CPRBS	200CM	1M	5	5	5	1	179.32
CPRBS	225CM	1M	5	5	5	1	202.45
CPRBS	250CM	1M	5	5	5	1	214.58
CPRBS	275CM	1M	6	6	5	1	237.79
CPRBS	300CM	1M	6	6	5	1	249.89
CPRBS	350CM	1M	7	7	5	1	285.18
CPRBS	400CM	1M	8	8	5	1	320.46
CPRBS	450CM	1M	9	9	5	1	355.73
CPRBS	500CM	1M	10	10	5	1	380.01
CPRBS	585CM	1M	12	12	5	1	443.30


CHILD SAFE INTERNAL BREAKAWAY CHAIN WHEEL - BREAKS AWAY AT 6KG - LOAD WEIGHT IS 7.5 KG

BCS MAX - ROMAN ELECTRIC MOTORISED TRACK



PROFILE

- Size 63 x 74 mm
- Weight 1092 gr/mtr
- Aluminium extrusion 6063 TS
- Colour available: white



- 1 BCS Klick® Bracket with allen screw
- 2 BCS Endcap
- 3 Counterweight bar 20 x 6 mm.
- 4 BCS Velcro Hook Tape
- 5 BCS Track
- 6 BCS Tube 8-angular
- 7 BCS Cord Roll House Complete
- 8 BCS Centre Support
- 9 Forest Tubular Motor
- 10 Ceiling Swivel Bracket

BCS MAX - ROMAN ELECTRIC MOTORISED TRACK – MADE TO MEASURE SYSTEM

PRODUCT CODE	WIDTH MM	CORD DRUMS	BRACKETS WALL/CEILING	FIBRE GLASS RODS	BOTTOM BAR	RRP INCL. VAT
34011010710/1359	710-1359mm	4	4	5	1	
3401101135				A	Motorised Track	1,110.71
5201091470				B	Remote	212.78
52010064				C	Wireless Wall Switch	86.97
				D	Wireless Connector	147.78
				E	USB Charger UK	14.80
				A,B,C,D,E		1,573.02
34011011360/1910	1360-1910mm	5	5	5	1	
				A	Motorised Track	1,195.01
				B	Remote	212.78
				C	Wireless Wall Switch	86.97
				D	Wireless Connector	147.78
				E	USB Charger UK	14.80
				A,B,C,D,E		1,656.98

PRODUCT CODE	WIDTH MM	CORD DRUMS	BRACKETS WALL/CEILING	FIBRE GLASS RODS	BOTTOM BAR	RRP INCL. VAT
34011011901/2400	1910-2400mm	6	6	5	1	
				A	Motorised Track	1,266.41
				B	Remote	212.78
				C	Wireless Wall Switch	86.97
				D	Wireless Connector	147.78
				E	USB Charger UK	14.80
				A,B,C,D,E		1,728.72
34011012401/3150	2401-3150mm	7	7	5	1	
				A	Motorised Track	1,372.22
				B	Remote	212.78
				C	Wireless Wall Switch	86.97
				D	Wireless Connector	147.78
				E	USB Charger UK	14.80
				A,B,C,D,E		1,834.55
34011013151/4000	3151-4000mm	8	8	5	1	
				A	Motorised Track	1,506.65
				B	Remote	212.78
				C	Wireless Wall Switch	73.70
				D	Wireless Connector	125.24
				E	USB Charger UK	12.54
				A,B,C,D,E		1,668.61

PRODUCT INFORMATION

- Asymmetric Reversible Multi Channel System, for use as a 3 or 2 channel Track.
- Profile thickness only 8 mm
- Easy installation thanks to 4,5 mm pre-drilled holes. For countersunk

installation, 10mm cover caps also available. A profile version without pre-drilled holes is also available

- Available in white, inox-pc and anthracite
- KS components can be used
- Forest Easyfold (FES) also applicable
- Max fabric weight 15 kg per running METRE of Track

PROFILE


- Aluminium extrusion, powder coated, lubricated. Available in 6 METRE length.
- One side of the profile has 3 channels, asymmetrically placed, to accommodate for a full sheer curtain, and two separate blackout curtains; these blackout curtains can overlap each other to prevent light leakage. The wider the fabric panels, the bigger the overlap will become.
- The other side of the profile has 2 channels, symmetrically placed, to accommodate for a sheer and blackout curtain in a traditional set-up.

MCS 2/3 GLIDE PELMET PROFILE

- A specially developed pelmet profile, aluminium extrusion, which can be placed on top of the MCS Track during installation and secured in place. The perfect solution if no separate pelmet or curtain box has been foreseen.

BLACKOUT PROFILE

- The ideal solution to create a perfect blackout on the side of each curtain. The Velcro Hotel Profile is suitable for any Forest curtain rail system. The L shaped profile comes with pre-drilled holes every 50 cm, allowing for an easy fixation on the sides of the window. When the curtain hems are lined with Velcro loop tape, the curtain can be easily fixed against the profiles, eliminating light leakage.



FOREST – MCS MULTI CHANNEL SYSTEM PRICES

PRODUCT CODE	WIDTH	GLIDES INCLUDED	BRACKETS	2 CHANNEL, RRP INC. VAT	PRODUCT CODE	WIDTH	GLIDES INCLUDED	BRACKETS	2 CHANNEL, RRP INC. VAT
2 CHANNEL SIDE					3 CHANNEL SIDE				
MCS 200/2	200 CM	40	NIL	160.28	MCS 200/3	200 CM	60	NIL	175.55
MCS 400/2	400 CM	80	NIL	320.56	MCS 400/3	400 CM	120	NIL	351.09
MCS 600/2	600 CM	120	NIL	480.84	MCS 600/3	600 CM	180	NIL	526.63

F120 & F400 ALUMINIUM TRACKS

F120 WHITE OR NATURAL ALUMINIUM TRACK

F120 TRACK 15MM	WIDTH, CM	WHITE OR NATURAL	TRACK COMPLETE	RRP INC VAT
F120125	125cm	ALUMINIUM TRACK	12 Gliders & 2 brackets	34.79
F120150	150cm	ALUMINIUM TRACK	16 Gliders & 2 brackets	41.75
F120175	175cm	ALUMINIUM TRACK	18 Gliders & 3 brackets	48.71
F120200	200cm	ALUMINIUM TRACK	20 Gliders & 3 brackets	55.70
F120225	225cm	ALUMINIUM TRACK	22 Gliders & 3 brackets	62.63
F120250	250cm	ALUMINIUM TRACK	26 Gliders & 4 brackets	69.61
F120275	275cm	ALUMINIUM TRACK	28 Gliders & 4 brackets	76.58
F120300	300cm	ALUMINIUM TRACK	30 Gliders & 4 brackets	83.57
F120325	325cm	ALUMINIUM TRACK	32 Gliders & 5 brackets	90.48
F120350	350cm	ALUMINIUM TRACK	36 Gliders & 5 brackets	97.07
F120375	375cm	ALUMINIUM TRACK	38 Gliders & 5 brackets	104.42
F120400	400cm	ALUMINIUM TRACK	40 Gliders & 6 brackets	111.38
F120425	425cm	ALUMINIUM TRACK	42 Gliders & 6 brackets	118.33
F120450	450cm	ALUMINIUM TRACK	46 Gliders & 6 brackets	125.33
F120475	475cm	ALUMINIUM TRACK	48 Gliders & 7 brackets	132.29
F120500	500cm	ALUMINIUM TRACK	50 Gliders & 7 brackets	139.25
F120525	525cm	ALUMINIUM TRACK	52 Gliders & 7 brackets	146.21
F120550	550cm	ALUMINIUM TRACK	56 Gliders & 8 brackets	153.18
F120575	575cm	ALUMINIUM TRACK	58 Gliders & 8 brackets	160.14
F120600	600cm	ALUMINIUM TRACK	60 Gliders & 8 brackets	168.39

F120 & F400 CAN BE BENT FOR BAY WINDOWS

One bend	Bending F120 or F400	Per 30cm or per ft	17.21
Two bend	Bending F120 or F400	Per 30cm or per ft	20.16
Four bend	Bending F120 or F400	Per 30cm or per ft	25.82

F400 WHITE ALUMINIUM TRACK

F400 TRACK 23MM	WIDTH, CM	WHITE TRACK	TRACK COMPLETE	RRP INC VAT
F400125	125cm	ALUMINIUM TRACK	12 Gliders & 2 brackets	60.86
F400150	150cm	ALUMINIUM TRACK	16 Gliders & 2 brackets	71.52
F400175	175cm	ALUMINIUM TRACK	18 Gliders & 3 brackets	81.84
F400200	200cm	ALUMINIUM TRACK	20 Gliders & 3 brackets	91.76
F400225	225cm	ALUMINIUM TRACK	22 Gliders & 3 brackets	102.45
F400250	250cm	ALUMINIUM TRACK	26 Gliders & 4 brackets	112.37
F400275	275cm	ALUMINIUM TRACK	28 Gliders & 4 brackets	123.04
F400300	300cm	ALUMINIUM TRACK	30 Gliders & 4 brackets	147.16
F400325	325cm	ALUMINIUM TRACK	32 Gliders & 5 brackets	157.47
F400350	350cm	ALUMINIUM TRACK	36 Gliders & 5 brackets	167.38
F400375	375cm	ALUMINIUM TRACK	38 Gliders & 5 brackets	177.33
F400400	400cm	ALUMINIUM TRACK	40 Gliders & 6 brackets	188.01
F400250	425cm	ALUMINIUM TRACK	42 Gliders & 6 brackets	198.68
F400450	450cm	ALUMINIUM TRACK	46 Gliders & 6 brackets	209.38
F400475	475cm	ALUMINIUM TRACK	48 Gliders & 7 brackets	218.91
F400500	500cm	ALUMINIUM TRACK	50 Gliders & 7 brackets	229.96
F400525	525cm	ALUMINIUM TRACK	52 Gliders & 7 brackets	239.54
F400550	550cm	ALUMINIUM TRACK	56 Gliders & 8 brackets	250.21
F400575	575cm	ALUMINIUM TRACK	58 Gliders & 8 brackets	260.89
F400600	600cm	ALUMINIUM TRACK	60 Gliders & 8 brackets	271.58



F120 White - showing bracket cover



F120 Natural Aluminium



F120 Natural Aluminium



F400 White



F400 White



F120 & F400 Wall Bracket & Cover
F120 & F400 Ceiling Bracket & Cover



CONTROL YOUR CURTAINS WITH THE FOREST CONNECT APP

Experience luxury and get the most out of your Shuttle system by adding our Wi-Fi option. Open or close your curtains with the touch of a button, using the new Forest Connect App or by third-party apps from Google, Amazon on your mobile device. Or even better speak to your curtains by using voice control. Our Shuttle Wi-Fi dongle is an add-on to new or existing Forest Shuttle systems with S, L or M motors. It simply clicks onto the motor and uses just a single cable. No further installation is required, which makes adding a Wi-Fi connection to your Forest Shuttle system as easy as 1-2-3.

With Shuttle Wi-Fi, you launch your drapery into the world of the Internet of Things, in which you can control your curtains by your mobile device, or by voice command without the need for an extra hub or a gateway. Also, it does even more than enable you to wirelessly control your curtains.

Convenience and security

Using the Wi-Fi solution, you will know the exact status of your curtains, even from across the globe. It will give you a sense of security. The system will always inform you of which position your curtains are, thanks to its two-way communication.

WI-FI DONGLE

- Add-on for Shuttle S/M and L
- Wi-Fi frequency 2.4GHz
- Control the curtains by Forest Connect App
- Forest Connect App is available for iOS and Android
- Works with Google Home, Amazon Alexa & Siri voice commands
- Timers routines are supported
- Bi-directional communication which means that you can check the status of your curtains anywhere you are in the world



CONNECTIVITY: EASY INTEGRATION INTO YOUR SMART HOME

Would you rather control your smart home via one platform such as Google Home or Amazon Alexa? The Wi-Fi module enables easy integration of the Shuttle motor into these smart home platforms. Also, the connection with virtual voice assistants such as Apple Siri, Google Assistant and Amazon Alexa also runs smoothly with the Wi-Fi module.

Set routines

The big advantage of one smart home platform is that the Shuttle motor can be connected to other smart devices such as smart lighting or the smart thermostat, so that you can, for example, set a routine / scene that increase the atmosphere or ensure energy savings. It fits seamlessly into the trend to improve the user experience.



COMFORT ON DEMAND: FOREST SHUTTLE

In today's technical world, smart homes are on the rise. This trend includes drapery hardware and Forest Shuttle® motors are a smart choice for home integration. Capable of integrating with all major home automation systems, the Forest Shuttle® is offered in 5 versions. Forest Shuttle motors are trouble-free, ultra-quiet and come with a 10-year warranty, three more reasons they are a smart motorisation choice for your smart home innovation.

FORREST CONNECT APP EQUIPMENT

PRODUCT	PRODUCT CODE	RRP INC VAT
FOREST DONGLE	5201002280	147.78
FOREST WI FI CONNECTOR	5201002270	147.78
FOREST USB UK PLUG	5201002272	14.80

THE BEST JUST GOT BETTER

FOREST

DRAPERY HARDWARE

F FLEXIBLE
O ORIGINAL
R RELIABLE
E ECONOMICAL
S SMOOTH
T TRACK

- + EASY TO BEND
- + PATENTED DESIGN
- + INCREASED STABILITY
- + LIFE-TIME WARRANTY
- + CLICKABLE COMPONENTS
- + SILENT & SMOOTH OPERATION



THE HOTEL TRACKS

FOR HEAVY DUTY
APPLICATIONS



EASYFOLD SYSTEM

CONTINUOUS FOLDING
DRAPERY




Crown
CURTAIN TRACKS

Crown Curtain Tracks Ltd.

Unit 18A JFK Avenue, JFK Industrial Estate,
Naas Road, Dublin 12
Post code D12 KV57

Telephone: +353 (0)1 401 8644 / 401 8648

Email: crowncurtaintracks.ie@gmail.com

Web: www.crown-curtain-tracks.ie

 [crown_curtain_tracks](https://www.instagram.com/crown_curtain_tracks)