



DOMOTICS
READY



REMOTE
CONTROL



MANUAL
OPERATION

FOREST Decorative Rod Series

Elegant and trendy rod systems. Available as manual, chain and motorized systems.

CRS®
CRS® Deco
CRS® Corded
MRS® Motorized

THE WORLD BEHIND
your **CURTAINS...**



FOREST CRS®





PRODUCT INFORMATION

- Elegant and trendy hand drawn channel rod system
- Curtain rod fitted with curtain carriers
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Bendable, both with an inside and outside corner
- Available in 9 colours: White-PC, Anthracite-PC, Chrome, Inox-PC, Inox-AN, Gold, Bronze, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Inox coloured components can be used for both the Inox and Bronze coloured channel rod
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy and quick assembly
- Forest Easyfold System (FES) also applicable on CRS

PROFILE


- Shown actual size 1:1
- Aluminium Extrusion
- Weight 20 mm (0,8"): 320 gram per meter
- Weight 28 mm (1,1"): 460 gram per meter
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- ① CRS Channel Rod 20 mm (0,8")
- ② CRS Channel Rod 28 mm (1,1")
- ③ CRS End Cap
- ④ CRS Carrier
- ⑤ KS Shirrtape Carrier
- ⑥ CRS Wall Bracket Double



APPLICATIONS



BENDING / CURVING

The 20 mm (0,8") rod can be curved and reverse curved using a radius of 10 cm (4"); the 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




FOR USE IN

Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

MOUNTING BRACKETS


CRS Ceiling Bracket



CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4")

20 mm (0,8")/ 28 mm (1,1").




CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



CRS Wall Bracket, double


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")




CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")



CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



FOREST CRS Deco®





PRODUCT INFORMATION

- Elegant and decorative hand drawn channel rod system
- Curtain rod fitted with eyelets and rings
- Equipped with special inlay for smooth operation and noise reduction
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Available in 5 colours: Anthracite-PC, Chrome, Inox-AN, Taupe-PC, Antique-PC
- The brackets and decorative endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy and quick assembly

PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Track Ø 20 mm (0,8"): Maximum 3 kilograms at a support distance of 1.5 meters.
- Track Ø 28 mm (1,1"): Up to 4 kilograms at a support distance of 2.5 meters.
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- 1 CRS Deco 20 mm (0,8")
- 2 CRS Deco 28 mm (1,1")
- 3 CRS End Cap with 3 grooves
- 4 CRS Wall Bracket Double
- 5 Eyelets with rings
- 6 Deco rod comes with a special inlay on top.



APPLICATIONS



SMOOTH AND SILENT OPERATION



Equipped with special inlay on top of rod for smooth operation and noise reduction.

FOR USE IN

Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

SELECT YOUR FINIAL

Our large range of decorative finials offers you a great variety of design options. But is also possible to use without finial.




MOUNTING BRACKETS

CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4").

20 mm (0,8")/ 28 mm (1,1").




CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



CRS Wall Bracket, double


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")




CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")



CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



FOREST CRS Coded®




PRODUCT INFORMATION

- Elegant and trendy cord-operated channel rod system
- Curtain rod fitted with curtain carriers
- Available dimension: 28 mm (1,1")
- Bendable, both with an inside and outside corner
- Available in 6 colours: White-PC, Anthracite-PC, Chrome, Inox-AN, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: aluminium, chromated, powder coated or anodized
- Easy and quick assembly
- Forest Easyfold System (FES) also applicable on CRS Coded

PROFILE


- Shown actual size 1:1
- Weight: 460 grammes per meter
- Aluminium extrusion
- Dimension: 28 mm (1,1")



- 1 CRS Coded End Cap Short
- 2 CRS Channel Rod
- 3 Traverse Cord
- 4 MRS Carriers
- 5 Easyflex Master Carrier 90° left
- 6 Easyflex Master Carrier 90° right
- 7 CCS Cord Connector
- 8 Easyflex Carriers
- 9 CRS Coded End Pulley Base
- 10 CCS Double Cord Connector



APPLICATIONS



Cross-Section Channel Rod with cord connectors and carriers.

BENDING / CURVING

The 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and corded operated channel rod system is required.

MOUNTING BRACKETS


CRS Ceiling Bracket



CRS Ceiling Support

4 cm (1,6"), 5 cm (2") or 10 cm (4").


20 mm (0,8") / 28 mm (1,1").



CRS Wall Bracket, single


8 cm (3,1"), 12 cm (4,7") and 16 cm (6,3")

(Base plate for the 12 cm (4,7") and 16 cm bracket is 6,2 cm (2,4"), similar to the double wall brackets.)



CRS Wall Bracket, double


16 cm (6,3")



CRS Wall Bracket, double


16 cm (6,3") Ø 20 mm (0,8") (manual) / 28 mm (1,1")


(corded)



CRS Wall Bracket, double


20 cm (7,87") Ø 28 mm (1,1")






PRODUCT INFORMATION


- Comfortable and luxurious motorized channel rod system
- Curtain rod fitted with curtain carriers
- Two types of motors available:
 - 24 Volt Forest Shuttle with touch impulse
 - 230 Volt FMS with 30, 45 or 60 Watt
- Available dimension: 28 mm (1,1")
- Available in 8 colours: White-PC, Anthracite-PC, Chrome, Inox-PC, Inox-AN, Gold, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Inox coloured components can be used for both the Inox and Bronze coloured channel rod
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy-running return pulley
- Smooth and silent operation through Kevlar reinforcement of the transport belt
- Long life-span
- Easy opening and closing with the hand-held Diamond Sense remote control
- Domotica Ready
- Overlap carriers guarantees a complete closing of the curtains
- Forest Easyfold System (FES) also applicable on MRS




7



8



3




- 1 MRS Channel Rod
- 2 MRS End Cap
- 3 MRS Motor Pulley equipped with high-quality ball bearings
- 4 Single Master Carrier
- 5 MRS Carrier
- 6 CRS Wall Bracket Single
- 7 Kevlar transport belt
- 8 Easy running return pulley



PROFILE

- Shown actual size 1:1
- Weight 480 gr/mtr
- Aluminium Extrusion
- Dimension: 28 mm (1,1")



APPLICATIONS




FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and motorized operated channel rod system is required.

MOUNTING BRACKETS


MRS Ceiling Bracket



CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4")


20 mm (0,8")/ 28 mm (1,1").



CRS Wall Bracket, single

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



CRS Wall Bracket, double with 4 cm wall bracket extension


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")



CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



COMPATIBLE WITH



www.amx.com

In Concert Partner



www.knx.nl

KNX partner



www.z-wave.com

Z Wave alliance partner



www.crestron.com

I2P partner



SMARTHOMES

www.smart-homes.nl

Smart homes partner

Motorized Rod System (MRS) is compatible with many other Building Automation systems, thanks to its modular construction. A competitive advantage over the motorized drapery systems in the world!


CONTROL OPTIONS

Our broad range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains and light in any position you like. Controlling the motorized curtain system by your smartphone or tablet, you can create and schedule customized room scenes that allow your curtains to operate on their own throughout the day.




FOREST DIAMOND SENSE REMOTE

15 or 2 Channel Remote control, possibility to control up to 15 systems individually and in group by integrated timer function or manual. Auto-On mode, when holding hand above it, the integrated LED light will automatically come on. Radio control, range up to 30 meters. Including magnetic wall support.



BUILDING AUTOMATION

The Motorized Rod System can be connected to any Building Automation system, by relay control.









HOTEL CONTROL









The Motorized Rod System can be connected to any Hotel Automation system, by relay control.


















OTHER CONTROL OPTIONS








Z-Wave receivers and controls and switch control are available on request.




CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT		ART.NR
●						 CRS Channel Rod Ø 20 mm (0.8") Extruded aluminium, chromated, powder coated	5.80 mtr/tube	white gold Inox-an Inox-pc bronze black antique-pc anthracite-pc chrome	5801201580 5801202580 5801203580 5801203580-PC 5801204580 5801206580-PC 5801209580-PC 5801205580-PC 5801207580
	●					 CRS Channel Rod Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated	5.80 mtr/tube	white gold Inox-an Inox-pc bronze black antique anthracite-pc taupe-pc chrome	5801281580 5801282580 5801283580 5801283580-PC 5801284580-AN 5801286580-PC 5801289580-PC 5801285580-PC 5801284580-PC 5801287580
		●				 CRS Deco Rod Ø 20 mm (0.8") Extruded aluminium, chromated, powder coated	5.80 mtr/tube	Inox-an antique-pc taupe-pc anthracite-pc chrome	5841208580 5841209580-PC 5841204580-PC 5841205580-PC 5841207580
			●			 CRS Deco Rod Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated incl. inlay strip	5.80 mtr/tube	Inox-an antique-pc taupe-pc anthracite-pc chrome	5841283580 5841289580-PC 5841284580-PC 5841285580-PC 5841287580
				●		 CRS Channel Rod Corded Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated incl. inlay strip	5.80 mtr/tube	white Inox-an Inox-pc antique-pc anthracite-pc chrome	5811281580-PC 5811283580 5811283580-PC 5811289580-PC 5811286580-PC 5701287520
					●	 MRS Motorized Rod Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated	5.80 mtr/tube	white gold Inox-an Inox-pc antique-pc taupe-pc anthracite-pc chrome	5701281580-PC 5701282580 5701283580 5701283580-PC 5701289580-PC 5701284580-PC 5701286580-PC 5701287520
●	●			●		 CRS Carrier round	500/box	white silver black	5810101000 5810103000 5810106000
					●	 MRS Carrier round	500/box	white silver black	5710101000 5710103000 5710106000
	●					 CS Ball bearing carrier 16 mm small for 28 mm CRS manual	100/box	white black	2512000016 2512006016
		●				 CRS Deco curtain ring for 20 mm	25/box	inox-pc taupe-pc anthracite-pc chrome antique-pc	5841203000-PC 5841204000-PC 5841205000-PC 5841207000 5841209000-PC
			●			 CRS Deco curtain ring for 28 mm	25/box	inox-pc taupe-pc anthracite-pc chrome antique-pc	5841283000-PC 5841284000-PC 5841285000-PC 5841287000 5841289000-PC
●		●		●		 CRS Metal endstop with screw for 20 mm (0.8")	2/box		5816101000
	●		●	●		 CRS Metal endstop with screw for 28 mm (1.1")	100/box		5816101001
●		●		●		 CRS Metal endstop with screw-eye for 20 mm (0.8")	100/box		5816102000
	●			●		 CRS Metal endstop with screw-eye for 28 mm (1.1") Long, with ball bearings	100/box		5816102001
	●			●	●	 Easyflex Endhook	500/box	white black	4812801000 4812806000

CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT	ART.NR
●				●		 CRS Metal endstop with screw-eye for 20 mm (1.1") Short, with normal CRS Carriers	100/box	5816102002
●	●	●	●	●		 CRS Rail connector (6 cm)	10/box	5815200006
●	●	●	●	●		 CRS Corner connector (5 cm)	10/box	5815200007
●		●				 CRS Finial Ø 20 mm	10/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc chrome 5816101020 5816102020 5816103020 5816103020-PC 5816106020-PC 5816109020-PC 5816105020-PC 5816107020
	●		●		●	 CRS Finial Ø 28 mm	10/box	white gold Inox-an Inox-pc black antique taupe-pc anthracite-pc chrome 5816101028 5816102028 5816103028 5816103028-PC 5816106028-PC 5816109028-PC 5816104028-PC 5816105028-PC 5816107028
	●		●		●	 CRS/MRS Finial 28 mm round 60 mm	2/box	gold Inox-an black antique-pc taupe-pc anthracite-pc chrome 5716102100 5716103100 5716106100-PC 5716109100-PC 5716104100-PC 5716105100-PC 5716107100
	●		●		●	 CRS/MRS Finial 28 mm round 70 mm	2/box	gold Inox-an antique-pc taupe-pc anthracite-pc chrome 5716102000 5716103000 5716109000-PC 5716104000-PC 5716105000-PC 5716107000
	●		●		●	 CRS/MRS Finial 28 mm with 3 grooves	2/box	gold Inox-an black antique-pc taupe-pc anthracite-pc chrome 5816102128 5816103128 5816106128-PC 5816109128-PC 5816104128-PC 5816105128-PC 5816107128
●		●				 CRS Finial 20 mm with 3 grooves	2/box	Inox-an anthracite-pc Chrome 5816103120 5816105120-PC 5816107120
				●		 CRS Corded endcap short complete	2/box	white gold Inox-an Inox-pc antique-pc taupe-pc anthracite-pc 6130201001-PC 6130202001 6130203001 6130203001-PC 6130209001-PC 6130204001-PC 6130206001-PC
●	●			●	●	 CRS Ceiling bracket Ø 20/28 mm with slot	100/box	aluminium 5818003000
●	●			●	●	 CRS Ceiling bracket Ø 20/28 mm with hole	100/box	white inox 5818003101 5818003103
				●	●	 MRS Ceiling bracket small, 1,5 cm	4/box	chrome 5718407050
	●			●	●	 CRS Swivel for 28 mm rod		5863001000

CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT		ART.NR
●	●	●	●	●	●	 CRS Ceiling suspension bracket 4 cm (1.57") Ø 20/28 mm	2/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc chrome	5818112000 5818122000 5818132000 5818132000-PC 5818162000-PC 5818192000-PC 5818152000-PC 5818012028
●	●			●	●	 CRS Ceiling suspension bracket 5 cm (1.96") Ø 20/28 mm	2/box	white gold Inox-an Inox-pc antique-pc	5818112028 5818122028 5818132028 5818132028-PC 5818192028-PC
●	●					 CRS Ceiling suspension bracket 10 cm (3.93") Ø 20/28 mm	2/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc	5818012028 5818022028 5818032028 5818032028-PC 5818062028-PC 5818092028-PC 5818052028-PC
●		●				 CRS Wall Bracket single 8 cm (3.15") Ø 20 mm	2/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc chrome	5820080120 5820080220 5820080320 5820080320-PC 5820080620-PC 5820080920-PC 5820080520-PC 5820080720
	●		●	●		 CRS Wall Bracket single 8 cm (3.15") Ø 28 mm	2/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc chrome	5820080128 5820080228 5820080328 5820080328-PC 5820080628-PC 5820080928-PC 5820080428-PC 5820080528-PC 5820080728
●		●				 CRS Wall Bracket single 12 cm (4.72") Ø 20 mm	2/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc chrome	5820120120 5820120220 5820120320 5820120320-PC 5820120620-PC 5820120920-PC 5820120520-PC 5820120720
	●		●	●	●	 CRS Wall Bracket single 12 cm (4.72") Ø 28 mm	2/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc chrome	5820120128 5820120228 5820120328 5820120328-PC 5820120628-PC 5820120928-PC 5820120428-PC 5820120528-PC 5820120728
●		●				 CRS Wall Bracket single 16 cm (6.29") Ø 20 mm	2/box	white gold Inox-an Inox-pc black antique-pc	5820160120 5820160220 5820160320 5820160320-PC 5820160620-PC 5820160920-PC
	●		●	●	●	 CRS Wall Bracket single 16 cm (6.29") Ø 28 mm	2/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc	5820160128 5820160228 5820160328 5820160328-PC 5820160628-PC 5820160928-PC 5820160428-PC 5820160528-PC
●		●				 CRS Wall Bracket double 16 cm (6.29") Ø 20 mm	2/box	white gold Inox-an Inox-pc black antique-pc chrome	5822160120 5822160220 5822160320 5822160320-PC 5822160620-PC 5822160920-PC 5822160720

CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT		ART.NR
	●		●	●	●	 CRS Wall Bracket double 16 cm (6.29") Ø 28 mm	2/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc	5822160128 5822160228 5822160328 5822160328-PC 5822160628-PC 5822160928-PC 5822160428-PC 5822160528-PC
	●		●			 CRS Wall Bracket double 20 cm (7.87") Ø 28 mm	2/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc chrome	5822200128 5822200228 5822200328 5822200328-PC 5822200628-PC 5822200928-PC 5822200428-PC 5822200528-PC 5822200728
●	●					 CRS Wall Bracket double 16 cm (6.29") Ø 20/28 mm	2/box	white gold Inox-an Inox-pc black antique-pc	5822012028 5822022028 5822032028 5822032028-PC 5822036028-PC 5822039028-PC
●	●			●	●	 CRS Wall bracket extension 4 cm	10/box	white gold Inox-an Inox-pc black antique-pc anthracite-pc chrome	5815201030 5815202030 5815203030 5815203030-PC 5815206030-PC 5815209030-PC 5815205030-PC 5715107040
●	●			●	●	 CRS Wall bracket extension 8 cm		gold Inox-an Inox-pc black antique-pc chrome	5815102020 5815103020 5815103020-PC 5815106020-PC 5815109020-PC 5715107080
●	●			●	●	 CRS Adjustable bracket extension	10/box	white Inox-an Inox-pc black antique-pc	5815101070 5815103070 5815103070-PC 5815106070-PC 5815109070-PC
●						 CRS Inside wall bracket Ø 20 mm	10/box	white gold Inox-an Inox-pc black antique-pc	5817101020 5817102020 5817103020 5817103020-PC 5817106020-PC 5817109020-PC
	●				●	 CRS Inside wall bracket Ø 28 mm	10/box	white gold Inox-an Inox-pc black antique-pc taupe-pc anthracite-pc chrome	5817101028 5817102028 5817103028 5817103028-PC 5817106028-PC 5817109028-PC 5817104028-PC 5817105028-PC 5817107028
					●	 MRS Motor pulley left	1/box	white gold Inox-an Inox-pc antique taupe-pc anthracite-pc chrome	5730101000-PC 5730102000 5730108000 5730108000-PC 5730109000 5730104000-PC 5730106000-PC 5730107000
					●	 MRS Motor pulley right	1/box	white gold Inox-an Inox-pc antique taupe-pc anthracite-pc chrome	5730201000-PC 5730202000 5730208000 5730208000-PC 5730209000 5730204000-PC 5730206000-PC 5730207000
					●	 MRS Return pulley left	1/box	white gold Inox-an Inox-pc antique taupe-pc anthracite-pc chrome	5730111000-PC 5730112000 5730118000 5730118000-PC 5730119000 5730114000-PC 5730116000-PC 5730117000

CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT		ART.NR
					●	 MRS Return pulley right	1/box	white gold Inox-an Inox-pc antique taupe-pc anthracite-pc chrome	5730121000-PC 5730122000 5730128000 5730128000-PC 5730129000 5730124000-PC 5730126000-PC 5730127000
				●		 CKS / CCS Cord on roll	250 Mtr/roll	white grey black	1030401000 1030403000 1030406000
				●		 CCS Cord connector	100/box	white grey black	3030301000 3030303000 3030306000
				●		 CCS Double Cord connector	100/box	white grey black	3030301010 3030303010 3030306010
				●		 Assembly tool for CKS/CCS/CRS Cord Connector	Piece		9510000027
				●		 Cord/Chain weight design	10/box	white black silver	3030701000 3030706000 3030703000
				●		 CKS / CCS Tension Pulley	25/box		1030501000
				●		 BS Cord / Chain wall mount safety box single	25/box		3645702000
					●	 FMS Transport belt	100 Mtr/roll		5105501000
					●	 Easyfold MRS belt connector	25/box		4805711500
●	●			●	●	 Easyfold Plastic Master underlap	25/box	white silver black transparent	4815201010 4815203010 4815206010 4815201000
●	●			●	●	 Easyfold Plastic Master straight/overlap	25/box	white silver black transparent	4815101010 4815103010 4815106010 4815101000
				●	●	 FMS Master Carrier Underlap Multifunctional - arm is reversible for Click on stiffner	15/box	white silver black	5215801010 5215803010 5215806010
				●	●	 FMS Master Carrier Overlap Multifunctional - arm is reversible for Click on stiffner	15/box	white silver black	5215901010 5215903010 5215906010
●						 Compact Bending House, for Ø 20 mm (0,8") CRS	1/each		1050000000
●						 CRS Bending Wheel, for Ø 20 mm (0,8") CRS incl. strips	1/each		5860000020
●	●					 Contract Bending Tool, for Ø20 and Ø 28 mm (1.1") CRS	1/each		2550000000

CRS 20 mm	CRS 28 mm	CRS DECO 20	CRS DECO 28	CRS CORDED	MRS	ARTICLE	PACKING UNIT	ART.NR		
●							CRS Contract Bending Wheel all-in Ø 20 cm (8"), for Ø 20 mm (0,8") CRS incl. strips	1/each	5860200020	
	●						CRS Bending Wheel Ø 40 cm (16"), for Ø 28 mm (1.1") CRS incl. strips	1/each	5860000028	
●							CRS Bending Strips, Ø 20 mm (0.8"), 60 cm (23.6")	1/each	5860100020	
	●						CRS Bending Strips, Ø 28 mm (1.1"), 60 cm (23.6")	1/each	5860100028	
●							CRS Bending Strips, Ø 20 mm (0.8"), 7 cm (23")	1/each	5860700020	
	●						CRS Bending Strips, Ø 28 mm (1.1"), 7 cm (23")	1/each	5860700028	
	●						Bending Standard, Standard for contract bending tool 28 mm (1,1")	1/each	2560700000	
●	●						Electric Powered Bender, Available in 230V or 115V	1/each	1060500000	
●	●						Set CRS Bending Wheels, Ø 20/28 mm (0,8/1,1")	1/set	5860702028	
●	●	●	●	●	●		Channel Rod lubricant spray		5109020000	
●	●	●	●				KS Draw stick Fiberglass	100/box	92 cm	1065101092
							KS Draw stick transparent	50/box	122 cm	1065101122
									152 cm	1065101152
							KS Draw stick aluminium white	50/box	92 cm	1065102092
									122 cm	1065102122
									152 cm	1065102152
									92 cm	1065111092
							KS Draw stick aluminium silver	50/box	122 cm	1065111122
									152 cm	1065111152
									202 cm	1065111202
									92 cm	1065113092
							KS Draw stick aluminium black	50/box	122 cm	1065113122
								152 cm	1065113152	
								92 cm	1065116092	
						KS Draw stick aluminium antique aluminium	50/box	122 cm	1065116122	
								152 cm	1065116152	
								92 cm	1065119092	
								122 cm	1065119122	
								152 cm	1065119152	
●	●	●	●	●	●		Forest CRS/MRS colour sampler	1/each	9904100101	
●	●	●	●	●	●		Decorative Rod display including rods and colour sampler	1/set	9902000001	

THE WORLD BEHIND
your CURTAINS...

